

Volunteer Lake Assessment Program Individual Lake Reports BEECH POND, LOWER, TUFTONBORO, NH

| MORPHOMETRIC DA | <u>TA</u> | | TROPHIC | CLASSIFICATION | KNOWN EXOTIC SPECIES | | | |
|-----------------------|-----------|-----------------|-----------|---------------------|----------------------|------|---------------|--|
| Watershed Area (Ac.): | 1,600 | Max. Depth (m): | 15.2 | Flushing Rate (yr1) | 0.8 | Year | Trophic class | |
| Surface Area (Ac.): | 155 | Mean Depth (m): | 6.8 | P Retention Coef: | 0.63 | 1980 | OLIGOTROPHIC | |
| Shore Length (m): | 4,700 | Volume (m³): | 4,250,500 | Elevation (ft): | 968 | 2001 | OLIGOTROPHIC | |

The Waterbody Report Card tables are generated from the DRAFT 2014 305(b) report on the status of N.H. waters, and are based on data collected from 2004-2013. Detailed waterbody assessment and report card information can be found at www.des.nh.gov/organizations/divisions/water/wmb/swqa/index.htm


| Designated Use | Parameter | Category | Comments | | | | |
|----------------------------|-------------------------|-------------|---|--|--|--|--|
| Aquatic Life | Phosphorus (Total) | Good | The calculated median is from 5 or more samples and is < indicator and > 1/2 indicator and the chlorophyll a indicator is okay. | | | | |
| | рН | Bad | >10%, with a minimum of 2, samples exceed criteria, with 1 or more by a large margin. | | | | |
| | Oxygen, Dissolved | Encouraging | There are < 10 samples with 0 exceedances of criteria. More data needed. | | | | |
| | Dissolved oxygen satura | Encouraging | There are < 10 samples with 0 exceedances of criteria. More data needed. | | | | |
| | Chlorophyll-a | Good | The calculated median is from 5 or more samples and is < indicator and > 1/2 indicator. | | | | |
| Primary Contact Recreation | Escherichia coli | Very Good | Where there are no geometric means, all bacteria samples are < 75% of the geometric mean. Where there are geometric means all single bacteria samples are < the SSMC and all geometric means are < geometric mean criteria. | | | | |
| | Chlorophyll-a | Good | There are at least 10 samples with one, but < 10% of samples, exceeding indicator. | | | | |

BEACH PRIMARY CONTACT ASSESSMENT STATUS

| LOWER BEECH POND - WILLIAM LAWRENCE | Escherichia coli | G 000 | There are geometric means and all geometric means are < geometric mean criteria; and there has |
|-------------------------------------|------------------|--------------|--|
| CAMP BEACH | | | been a single sample exceedance. |

WATERSHED LAND USE SUMMARY

Fry, J., Xian, G., Jin, S., Dewitz, J., Homer, C., Yang, L., Barnes, C., Herold, N., and Wickham, J., 2011. Completion of the 2006 National Land Cover Database for the Conterminous United States, PERS, Vol. 77(9):858-864. For larger image contact NHDES.



| Land Cover Category | % Cover | Land Cover Category | % Cover | Land Cover Category | % Cover |
|----------------------------|---------|---------------------|---------|----------------------|---------|
| Open Water | 17.6 | Barren Land | 0 | Grassland/Herbaceous | 0 |
| Developed-Open Space | 2.37 | Deciduous Forest | 7.5 | Pasture Hay | 0.42 |
| Developed-Low Intensity | 0.11 | Evergreen Forest | 15.44 | Cultivated Crops | 0.31 |
| Developed-Medium Intensity | 0 | Mixed Forest | 53.72 | Woody Wetlands | 1.57 |
| Developed-High Intensity | 0 | Shrub-Scrub | 0.44 | Emergent Wetlands | 0.59 |




VOLUNTEER LAKE ASSESSMENT PROGRAM INDIVIDUAL LAKE REPORTS

LOWER BEECH POND, TUFTONBORO 2014 DATA SUMMARY

OBSERVATIONS AND RECOMMENDATIONS (Refer to Table 1 and Historical Deep Spot Data Graphics)

- ♦ CHLOROPHYLL-A: Chlorophyll levels were very low in June, increased slightly in July, and then decreased again in August. Average chlorophyll levels were much less than the state median. Historical trend analysis indicates highly variable chlorophyll levels since monitoring began.
- CONDUCTIVITY/CHLORIDE: Deep spot and tributary conductivity and chloride levels remained low.
 Historical trend analysis indicates stable epilimnetic (upper water layer) conductivity since monitoring
 began.
- ♦ E. COLI: First Beach, Second Beach, Inlet, and Outlet E. coli levels were much less than the state standard of 88 cts/100 mL for public beaches and 406 cts/100 mL for surface waters on each sampling event
- ◆ TOTAL PHOSPHORUS: Deep spot phosphorus levels were low and less than the state median. Epilimnetic phosphorus levels were the lowest measured since monitoring began and historical trend analysis indicates significantly decreasing (improving) epilimnetic phosphorus levels. We hope to see this continue! Metalimnetic (middle water layer) and Hypolimnetic (lower water layer) phosphorus levels were low. Inlet and Outlet phosphorus levels were very low on each sampling event.
- ♦ **TRANSPARENCY:** Transparency improved slightly as the summer progressed and was the best measured since 2005. Transparency measured with the viewscope (VS) was higher than without and likely a better representation of actual conditions. Historical trend analysis indicates relatively stable transparency since monitoring began.
- TURBIDITY: Deep spot and tributary turbidities were low on each sampling event.
- PH: Epilimnetic and Metalimnetic pH levels were within the desirable range 6.5—8.0 units, however Hypolimnetic pH levels were less than desirable. Historical trend analysis indicates relatively stable Epilimnetic pH since monitoring began.
- ♠ RECOMMENDED ACTIONS: Overall, water quality is very good and the improving epilimnetic phosphorus trend is encouraging. pH levels have fluctuated below desirable since monitoring began and could be potentially critical to aquatic life. Continue to educate lake and watershed residents on ways to reduce stormwater runoff into the pond. Keep up the great work!

| | _ | | | | | | | | | |
|--------------|------|---|----------|-------|---------|---------|------|------|-------|------|
| Station Name | | Table 1. 2014 Average Water Quality Data for LOWER BEECH POND | | | | | | | | |
| | Alk. | Chlor-a | Chloride | Cond. | E. Coli | Total P | Tra | ns. | Turb. | рН |
| | mg/l | ug/l | mg/l | uS/cm | #/100ml | ug/l | m | | ntu | |
| | | | | | | | NVS | VS | | |
| Epilimnion | 3.83 | 2.03 | 5 | 31.5 | | 3 | 5.52 | 6.32 | 0.51 | 6.88 |
| Metalimnion | | | | 32.9 | | 7 | | | 0.99 | 6.52 |
| Hypolimnion | | | | 33.9 | | 10 | | | 0.82 | 6.00 |
| First Beach | | | | | 2 | | | | | |
| Inlet | | | | 32.6 | 10 | 3 | | | 0.60 | 6.73 |
| Outlet | | | | 27.4 | 10 | 3 | | | 0.66 | 6.71 |
| Second Beach | | | | | 5 | | | | | |



NH Water Quality Standards: Numeric criteria for specific parameters. Results exceeding criteria are considered a water quality violation.

Chloride: > 230 mg/L (chronic)
E. coli: > 88 cts/100 mL – public beach
E. coli: > 406 cts/100 mL – surface waters
Turbidity: > 10 NTU above natural level

pH: between 6.5-8.0 (unless naturally occurring)

NH Median Values: Median values for specific parameters generated from historic lake monitoring data.

Alkalinity: 4.9 mg/L Chlorophyll-a: 4.58 mg/m³ Conductivity: 40.0 uS/cm Chloride: 4 mg/L

Total Phosphorus: 12 ug/L Transparency: 3.2 m

pH: 6.6

HISTORICAL WATER QUALITY TREND ANALYSIS

| Parameter | Trend | Explanation | Parameter | Trend | Explanation |
|-----------------|--------|---|-------------------------|-----------|--|
| Conductivity | Stable | Trend not significant; data show low variability. | Chlorophyll-a | Stable | Trend not significant; data highly variable. |
| pH (epilimnion) | Stable | Trend not significant; data moderately variable. | Transparency | Stable | Trend not significant; data moderately variable. |
| | | | Phosphorus (epilimnion) | Improving | Data significantly decreasing. |

